WSDOT's Approach to Performance-Based Management of its Capital Program

Roles in Risk-based Asset Management

Lynn Peterson Secretary of Transportation

Patrick Morin, PE
Operations Mgr., Capital Program
Development & Management Office


Northeast Pavement Preservation
Partnership Conference
May 1st, 2013





Cost of Construction

- Averaged 4% between 1970 and 2006
- 1974 OPEC Oil Embargo
- 1980 2nd OPEC Oil Crisis
- 2006 2009 Material Cost increase




Fuel-efficient vehicles, weak economy impact fuel sales

Fewer gallons sold = reduced gas tax revenue projections

Gross fuel consumption - forecast has gone down

Gallons in millions



- The state gas tax funds 76% of all transportation investments.
- Since March 2007, projected fuel tax revenues will fall by \$3.6 billion over the 13-year period.




Gas tax purchasing power declines over time

Gas tax not indexed to inflation

...and compelling communication is more important than ever

Funding crisis

- Revenue significantly under projections
- Inflation increasing cost of maintenance and construction
- Challenge in getting another tax increase





^{**} Less Debt Service.



State Transportation Needs Exceed Future Funding


- Concrete Pavements –>\$1 B (10 years)
- Flexible Pavements >
 \$1 B (10 years)
- Backlog of bridge painting – \$0.4 B
- Seismic Retrofitting in high ground motion zones - \$0.25 B

- Several large congestion issues
- Safety goal of no fatal/serious injury collisions
 - \$ 1B (10 year)
- Federal law suit to replace blocked culverts for fish -\$2.4 B (18 years)
- Storm water retrofit
- Major Electrical Rehab
- Ferry Boats & Terminals



Legislative Vision for Transportation Budgeting

The State Legislature finds that solutions to state highway deficiencies have become increasingly complex and diverse and that anticipated transportation revenues will fall substantially short of the amount required to satisfy all transportation needs. Difficult investment tradeoffs will be required



The Governor's Office of Financial Management shall propose a comprehensive ten-year investment program for the preservation and improvement programs defined in this section, consistent with the policy goals described under RCW 47.04.280.




Legislative Guidance for Developing Strategic Investment Options (1993 Study)

- Legislative policy guidance
- Performance Outcome based on policy guidance
- Needs Criteria (based on lack of performance)
- Evaluate alternatives to restore performance
- Identify/evaluate risks
- Cost to restore (Important when capital is limited)
- Predict performance outcome
- Establish priorities (based on Engineering Economics)
- Recommend Investment Tradeoffs to Legislature



Highway Construction Program



Federal Safety Stewardship Agreement

- Agreement with Federal Highways to qualify paving projects for federal aid without safety improvements
- Equivalent funding for safety improvements to standards on paving projects will be invested in the Safety Program
- Historical approach of HES reduction and prevention (network-wide strategies)
- Adopting SafetyAnalyst for the future (random occurrence of collisions due in large part to driver behavior in the last 18 years)



PURPOSE OF TRANSPORTATION ATTAINMENT REPORTS

Washington's Transportation Attainment Reports provide a high-level assessment of the state's progress in achieving its transportation goals using key performance measures and data.

Statewide Transportation Goals

In 2007, the Washington State Legislature amended RCW 47.04.280 to establish five statewide transportation policy goals to guide the planning, operation, performance of, and investment in the state's transportation system. They are not prioritized.

- Safety: To provide for and improve the safety and security of transportation customers and the transportation system.
- Preservation: To maintain, preserve and extend the life and utility of prior investments in transportation systems and services.
- Mobility (addressing congestion): To improve the predictable movement of goods and people throughout Washington state.
- Environment: To enhance Washington's quality of life through transportation investments that promote energy conservation, enhance healthy communities and protect the environment.
- Stewardship: To continuously improve the quality, effectiveness and efficiency of the transportation system.

In 2010, the Legislature added a sixth goal:

Economic vitality: To promote and develop transportation systems that stimulate, support and enhance the movement of people and goods to ensure a prosperous economy.



2012 BIENNIAL TRANSPORTATION ATTAINMENT REPORT

WASHINGTON'S TRANSPORTATION SYSTEM:

GOALS, OBJECTIVES AND PERFORMANCE MEASURES

GOAL 2. PRESERVATION To maintain, preserve and extend the life and utility of prior investments in transportation systems and services.				
Measure 2.1 Highway Pavement Percent of state highway pavement in fair or better condition	Extend the useful life of pavement	92.7% of state highway pavement in fair or better condition in 2011	*	
Measure 2.2 Bridges Percent of state bridges rated structurally deficient (SD)	Keep bridges safe and open to traffic	5% of bridges were rated SD in 2011, a 0.3% improvement from 2008	*	
Measure 2.3 Ferry Terminals Percent of state ferry terminal systems in fair or better condition	Extend the useful life ferry terminals and vessels	86 % rated fair or better in 2011, a 2% increase from 2008	*	——

Asset Classes with Deficiency Criteria

- Pavements
 - Rutting ½ inch
 - Cracking Index 45/100
 - Ride 220 " per mile
- Bridges
 - Painting rusting > 2% surface area
 - Decks delamination > 3% surface area
- Unstable Slopes risk factors
 > 350 of 891
- Rest Areas
 - Sewer & Water
 - Building & Site

Classes with Criteria Under Development

- Drainage Features
 - Culverts
 - Enclosed Systems
- Electrical
 - Traffic Signals
 - Illumination Systems
 - Intelligent Transportation Systems
- Weigh Stations
 - Site
 - Buildings
- Safety Restoration
 - Guardrail
 - Median Barrier



Inventory & Condition Assessments

- Pavements
 - Mainline (1lane/direction) Yearly
 - Ramps & Other Auxiliary Lanes As Needed
 - Remaining mainline Lanes (concrete) Every 4 Years
- Bridges
 - Decks and Painting Yearly/Biennial
- Unstable Slopes Every two years
- Rest Areas Every two years
- Electrical Inventory Complete, Need Condition Data
- Drainage Inventory almost complete, Maintenance gathering "Level 1 condition data" during cleaning
- Safety Restoration Inventory complete except for Interstate guardrail. Discussing how to determine condition assessment
 - Policy Issue: Data versus Predictive Models





Restoring Performance Objectives with Sustainable Initiatives


- Lower cost approaches
- To improve performance
- To become more efficient than full scale replacement or upgrade

Safety Benefits


- Lower risk and tradeoffs
- Meet multiple goals with limited budget









Asphalt Pavement Preservation Decisions



Decisions and Outcomes




Corridor Analysis for Investment Decision Making





Integrating Enterprise Risk Management

- Chip Seal Conversion
- Chip Seals in wetter & cooler climates
- Selective concrete panel replacement vs replacement
- Steel bridge washing
- Painting in segments
- 2nd gen bridge decks
- Timing of guardrail replacement (Immunity)
- Culvert lining
- Reduced lighting
- Replace signal with roundabout



Investment Tradeoff Target Setting


- Started with goals and performance objectives
- Identified performance needs for 6-10 years (range of dollars)
- Developed cost effective solutions to maximize performance
- Determine investment amount to meet objective
- Allocate existing revenue amongst categories and predict performance

Tradeoff Risks

- Accuracy of 6-10 year needs
- How to hold needs for which there is no funding?
- How many additional projects should be designed as backup?
- How much weight should be given to a potential risk versus a known need such as;
 - Seismic
 - Guardrail upgrade vs new



Seismic Lifeline Route





Uses for Economic Performance Methodologies

- Evaluation of Pavement Management
 - How efficiently are pavements performing?
 - Are the most cost-effective decisions being implemented?
- Evaluation of Pavement Design
 - Is pavement structure over designed or under designed?
- Evaluation of Freight Corridors
 - Are freight corridors designed with the most efficient pavements?

Economic Performance Measures

- Historical Cost of Pavement Service
 - EUAC (\$ / lane-mile year spent)
 - Equivalent Uniform Annualized Cost
- Expected Cost of Future Pavement Rehab
 - LCCA (\$ / lane-mile year gained)
 - Life Cycle Cost Analysis
- ESAL Efficiency
 - Divide EUAC by average ESALs per lane per year
 - \$ / ESAL
 - Equivalent Single Axle Loadings

Pavement Prioritization

Flexible Pavements


- Minimum Performance Standard
 - Rutting ½ inch
 - Cracking Index score of 45 out of 100
 - Ride 220 inches per mile (lagging indicator)
- Alternative Analysis based on Lowest Life-cycle cost
 - Preventative Maintenance (strategic Crack Sealing)
 - Chip Seals on lower volume and lower truck loadings
- Prioritization
 - 70% of the analysis units within a paving job should be below the minimum performance standard to be included in program proposal

Rigid Pavements

- Minimum Performance Standard
 - Rutting ½ inch
 - Faulting
 - Cracking
 - Ride 220 inches per mile
- Alternative Analysis based on Lowest Lifecycle cost
 - Preventative Maintenance to replace isolated panels with significant cracking
 - Grind rutted panels with minimal faulting and rutting
 - Dowel-bar rehab faulted panels & grind
 - Replace concrete roadway that is beyond rehabilitation


Good Fair Poor - All Surface Types

Current Funding Analysis: \$275 M per Biennium



5/6/2013


Combined Pavement Condition



¹ Due to reduced budget, Chip Seal roadways were not rated in 2011 and are excluded from the 2011 combined chart


Executive Decision Making

WSDOT will establish an executive level policy making group for asset management similar to safety



Pavement:

Innovations to lower costs, preserve life




Telling the story WSDOT's pavement technology innovations help offset declining investments

WSDOT uses pavement technology to make the state's roads last longer and cost less. Efficiencies include:

- Dowel bar retrofits on concrete pavements
- Selective panel replacement and diamond grinding on concrete pavements
- Converting higher cost asphalt pavements to lower cost chip seal pavements (\$151 million saved as of December 2011)

State highway pavement trends, 1990–2010

All pavement types; good/fair or poor condition; Pavement preservation expenditures in millions of 2011 dollars



Data source: WSDOT Materials Lab.

1990-2010: Changes in Pavement Asset Management

Then (1990)

Worst first

Allocation funding

WSPMS as sideline

Hveem mix design protocol

Volumetrics in the lab

Concrete Total Replacement

Dowel bar retrofit

Thick overlays (>2"+)

No westside BST

BST only if ADT <2000 ADT

No RAP

No RAS

No clear pavement selection

No dowel bar selection

Now (2010)

Lowest life cycle cost

Need based funding

WSPMS as key decision making tool

Superpave mix design

Volumetrics in the field

Dowel bar retrofit

Triage protocol

P-1 protocol (2" overlays for all HMA)

All west side regions doing BST

BST on all routes under 5,000 ADT and

consideration for rtes between 5,000-10,000

Consuming all the RAP produced in the state

Test project with RAS

Pavement Type Selection Protocol

Dowel Bar Selection Protocol



Contact Info:

PATRICK MORIN, PE
OPERATIONS MGR, CAPITAL PGM DEVELOPMENT
& MGMT
WASHINGTON STATE DEPARTMENT OF
TRANSPORTATION
360-705-7141
MORINP@WSDOT.WA.GOV

